

Original Research Article

Biochemical Characterization of Protease and Its Impact By Nano Particles in Sera of Iraqi Patients with Burns

Sura Ahmed Abdul sattar Dhia Hadi Hussain Hasan Hadi Algam*
College of Science, Al Mustansyriah University, Baghdad, IRAQ

*E-mail:hasanhadi267@yahoo.com

Accepted 17 November, 2015

Abstract

Proteases have great medical and pharmaceutical importance due to their key role in biological processes and in the life-cycle of many pathogens. The present study aims to characterization of protease and evaluate their impact by Gold Nano Particles and Nickel Nano Particles. A total of 30 patients with burn and 25 healthy individual with matches were included in this study. Gold nanoparticle and nickel nanoparticle were prepared using Pulsed Laser Ablation in Liquid method. The activity of serum protease was determined using casein as substrate. The results indicated increased protease activity in sera of burn patients and inhibition effects of both gold and nickel nanoparticles on protease activity. Thermodynamically favorability of the reaction can depend on the temperature. We conclude that nanoparticles such as gold and nickel can be used as treatment of burns through their role in homeostasis due to their inhibition impact on protease activity.

Key words: Burn, protease, gold nanoparticle, nickel nanoparticle, immunoglobulin

التوصيف الكيميائي للحياتي للبروتيز وتأثره بالدقائق النانوية في امصال دم العراقيين المصابين بالحروق

الخلاصة

الانزيمات المحللة للبروتينات لها أهمية طبية وصيدلانية كبيرة نظراً لدورها الهام في العمليات البيولوجية وفي دورة حياة كثير من الكائنات الممرضة. تهدف الدراسة الحالية إلى توصيف البروتيز وتقييم تأثيره بالدقائق النانوية للذهب والنيكل. تضمنت الدراسة جمع (٣٠) عينة من المصابين بالحروق و (٢٥) عينة من الاصحاء بنفس المدى العمري والجنس لغرض المقارنة. أعدت جسيمات متناهية الصغر من الذهب والنيكل بإستعمال طريقة التبخر الانفجاري في السائل. قيسَت فعالية البروتيز بإستعمال الكازئين بوصفها مادة أساس. أظهرت النتائج ازدياد فعالية البروتيز في امصال دم المصابين بالحروق وتأثير مثبط لكل من دقائق الذهب والنيكل النانوية على فعالية الأنزيم. بينت الديناميكة الحرارية ان أفضلية التفاعل يمكن أن تعتمد على درجة الحرارة. نستنتج أن الدقائق النانوية مثل الذهب والنيكل يمكن إستعمالها في علاج الحروق من خلال دورها في التوازن بسبب التأثير التثبيطي لها على فعالية البروتيز.

Introduction

A burn is a type of damage to skin caused by heat, chemicals, electricity, radiation or friction, [1]. Burns are one of the most destructive of all injuries and a major global crowd health turn [2-4]. They are the fourth most popular type of hit worldwide, following traffic accidents, falls, and interpersonal violence [5,6]. Burns result in about two million physician visits per year [7]. Approximately 90 percent of burns occur in low to middle income countries, regions that generally lack the substantial infrastructure [8,9]. Burn injuries encompass the partial or complete devastation of the integumentary system: the skin. The layers of the skin are ruined and these results in local and systemic disorders. When the skin is damaged by a burn, it may result in compromised immunity, hypothermia, increased fluid loss, infection, changes in appearance, function, and body image [10]. Inflammation is a typical and early response of a burns tissue. It results in an increase in the number of immune cells in the area of damage or infection which remove damaged or dead cells and initiate the healing process which involve conversion of an inactive proteolytic enzyme into an active enzyme [11]. These enzymes have great medical and pharmaceutical importance due to their key role in biological processes and in the life-cycle of many pathogens. Proteases are widely applied enzymes in several sectors of industry and biotechnology, furthermore, numerous research applications require their use, including production of Klenow fragments, peptide synthesis, digestion of unfavorable proteins during nucleic acid purification, cell culturing and tissue dissociation, preparation of recombinant antibody fragments for research, diagnostics and therapy, exploration of the structure-function relationships by structural studies, removal of affinity tags from fusion proteins in recombinant protein techniques, peptide sequencing and proteolytic digestion of proteins in proteomics [12]. Gold nanoparticles (GNPs) with controlled geometrical,

optical, and surface chemical properties are the subject of intense studies and applications in biology and medicine. To date, the ever increasing variety of published examples has included genomics and biosensorics, immunoassays, clinical chemistry, targeted delivery of drugs, and antigens, photo thermolysis of cancer cells and tumors and optical bioimaging of cells and tissues with state-of-the-art nanophotonic detection systems [13]. Nickel nanoparticles (NNPs) has become one of the interesting materials in research communities due to the varied promising applications in the field of catalysis [14-16], and magnetism [17]. Biomedical applications of Nickel nanoparticles can be categorized according to their application inside (*in vivo*) or outside the body (*in vitro*). The main use *in vitro* applications, is in diagnostic, separation, and selection, while *in vivo* applications, it could be further separated in therapeutic and diagnostic applications (nuclear magnetic resonance [NMR] imaging) [18-20].

The present study aims to characterize of protease kinetically and thermodynamically and evaluate the GNPs and NNPs effect on protease activity as example of inflammatory proteins in sera of patients with burns.

Materials and Methods

A total of 30 patients with burn attending Al-Kindy Hospital in Baghdad city and Medical City Hospital burns specialist were participated in this study. We obtained general information about each patient, including age, sex, etiology, location of burns, degree burn. As a control of 25 healthy individual with matches were included in this study. Five ml were collected from healthy donors and patients. The blood sample was centrifuged at 3000 rpm for 5 min after allowing the blood to clot at room temperature. Serum separated and transferred into test tube, and stored at -20°C until being used. Gold nanoparticle and nickel nanoparticle were prepared using Pulsed Laser Ablation in Liquid method [21]. Structure and nanosize measurement of nanoparticles samples

were identified by the Scanning Electron Microscope (SEM), Atomic Force Microscope (AFM). Absorbance spectra of NPs solution was measured by UV-VIS double beam spectrophotometers. The activity of serum protease was determined using casein as substrate according to assay method of Isshaya, et al [22], with modification [23].

Thermodynamic parameters of protease were determined using Arrhenius plots ($1/T \times 1000$ vs. $\log$ of activity) of casein. Energy of activation (E_a) was calculated from the curve slope, other thermodynamic parameters, such as, free energy change (ΔG), entropy change (ΔS), enthalpy change (ΔH) were calculated using the following equations: [24]

$$\text{Log } V_{\max} = \log A - E_a / 2.303 R \times 1/T$$

$$\text{slope} = \frac{E_a}{2.303R}$$

Enthalpy change ΔH was calculated from the following equation:

$$\Delta H^* = E_a - RT$$

The Free Gibbs energy ΔG was calculated from the following equation:

$$\Delta G^* = -RT \ln V_{\max} + RT \ln (KT/h)$$

Change of entropy was calculated from the following equation:

$$\Delta S^* = (\Delta H^* - \Delta G^*)/T$$

The statistical software (SPSS v 19; Chicago, IL, USA) was used. The data were analyzed using unpaired t-test and person correlation coefficients. Differences were considered significant when $P < 0.05$.

Results and Discussion

An interesting aspect of metal NPs is that their optical properties depend strongly on the particle size and shape. As an example, bulk gold looks yellowish in reflected light, while thin gold films look blue in transmission. This blue color steadily changes to orange as the particle size is decreased to ~ 3 nm. These effects are the result of changes in the Surface Plasmon Resonance (SPR) [25]. Figures (1a, and 1b) show the Surface Plasmon Resonance absorption spectrum of colloidal solutions of GNPs, and NNPs respectively. The pulse energy at the target surface was 700 mJ/Pulse for GNPs, which shows the absorbance peaks with broad band around 530nm, 465nm, and 195nm (Figure 1:a). We observed a faint pink coloration of the solution after several pulses of the experiment, as shown in optical picture. In the absorption spectrum of the solution, the surface plasmon on related peak could be clearly distinguished. The peaks were around 195-530 nm. These peaks were consistent with the presence of small 20-100 nm particles in the colloid, which confirmed by AFM and SEM, as compared to other research, which showed the presence of small 3-30 nm particles in the colloid [26]. (Figure 1:b) which shows the absorbance peaks that occur at around 195 nm is the characteristic of NNPs [27]. The pulse energy at the target surface was 700 mJ/Pulse, The NNPs was transparent tends to faint black in color as shown in optical picture.




Figure 1:UV-Vis Spectrum and Optical Picture of GNP(a) and NNPs(b)

Figure 2 show the two Dimension of AFM images and the corresponding size distribution of GNPs and NNPs, respectively by laser ablation of metal immersed in DDW at 400pulse for GNPs and 200 pulse for NNPs with a same pulse energy. Morphological analysis is carried out using AFM, which produces topological images of surfaces at a very

high magnification and facilitates the observation of the atomic structure of crystals. The origin of the surface morphology of the irregularly shaped particles sizes and the size distribution broaden can be explained by absorption with defects and thermally induced pressure pulses which cause cracking [28, 29].




Figure 2:AFM Image and Size Distributions of GNPs(a) and NNPs (b)

Figure (3a&b) shows the SEM images for GNPs and NNPs(700mJ/pulse).The NPs produced were calculated to have the average diameters range of 20-100 nm

(inagreement with AFM) obtained by laser ablation of metal plate immersed in DDW with laser shots of 400 pulse and wave length 1064 nm of Nd:YAG laser.




Figure 3:SEM Images of GNPs(a) and NNPs(b) (700 mJ/Pulse)

Protease activity was measured according to the modified method of Isshaya *et al.*The results presented in Table 1showed a highly significant ($P>0.001$) increased in protease activity concentrations in sera of burns

patients in compared to their concentrations in control group. This is the first study to our knowledge in evaluating protease activity in sera of burns patients.

Table 1:Mean values of protease activity in sera of control and patients with burns

Groups	Range U/L	Mean U/L	Std. Deviation	Std. Error	P value
Control	(28-1024)	405.0400	322.80696	72.18183	0.001
Patient	(124-1021)	739.3867	247.00711	45.09712	

This results was agreement with Mittl and Grutter who reported that decomposition of proteins by protease in inflammatory conditions such as burns were increased [30]. Also, this result comes in line with the fact thatProtease-activated receptor participates in various biological activities, such as homeostasis, inflammation, pain perception, and melanosome transfer in the skin [31].

The relationship between the substrate concentrations and the velocity of enzymatic catalyzed reaction was studied using different concentrations of casein as a substrate as shown in Figure 4a. The results demonstrated that the increase in the enzymatic activity is directly proportional to substrate concentrations in the range of concentrations (0.5 -1%). The decreasing in

protease activity after optimum point may refer to inhibition of enzyme by the substrate. The turnover kinetic parameters (Km and V max) were determined using Line weaver-Burk plot, where Km equals 0.2857% and Vmax equals 76.9230 U/L as shown in figure 4b.

The Km value is an important constant in enzymes studies. It is the substrate concentration which gives half of the maximum velocity, so it is an indicator of the enzyme affinity toward its substrate. An enzyme with high affinity for its substrate has low Km value; the value of Km establishes an approximate value for the intercellular level of the substrate, while the Vmax refer to the amount of active enzyme present [32, 33].




Figure 4:(a)Effect of substrate on protease activity, (b)Km and Vmax by Line Weaver–Bruk

Figure 5 shows the optimum condition of protease activity in sera of burns patients in pH, temperature, and incubation time. The results indicated a bell shaped curve when enzyme activity plotted against pH with optimum pH equal to7.5. This optimum may be due to (a) a true reversible effect on V itself, (b) an effect of pH on the affinity, the fall on either side of the optimum being due to a decreased saturation of the enzyme with substrate, due to a decreased affinity,

or (c) an effect of pH on the stability of the enzyme, which may become irreversibly destroyed on one or both sides of the optimum [34].

Upon increasing the temperature, the protease activity in sera of burn patients increases, where the optimum temperatures that observed was (35°C). But above optimum temperature, a decline in the activity was observed .The effect of temperature on the velocity of enzyme

reactions may be due to several different causes. It may be due to an effect on the stability of the enzyme; to an effect on the actual velocity of breakdown of the complex determined by the heat of activation of the reaction; to an effect on the enzyme -substrate affinity to an effect

on the pH functions of any or all of the components [34]. The activity of Protease increases by increasing the incubation time allowing the enzyme to be completely saturated with the protease until reaching to the optimum time course, which in present study equal to 30 minutes.




Figure 5:Effect of PH (a),Teampreature (b),Incubation time, (c) on protease activity

According to our knowledge, the present study is the first to carry out the effect of gold and nickel nanoparticles colloids on the protease activity.Results presented in Figure 6 showed that both nanoparticles have an inhibitor effect on the enzyme

activity in patients and control groups. Gold nanoparticle have been more inhibitor effect (78.29%) on protease activity than NNPs (76.02%), while in control group, NNPs have been more inhibitor effect(12.69%) on protease activity than GNPs (7.47%).




Figure 6:Nanoparticles effect on protease activity in sera of burns patients and controls




Figure 7:Inhibition type of GNPs and NNPs on protease activity in sera of burn patients

The inhibition types of GNPs and NNPs were determined using Line weaver-Burk plot. A non-competitive inhibitor for GNPs and uncompetitive inhibitor for NNPs were indicated as shown in figure 7. Noncompetitive inhibitor is binds reversibly connects to the free enzyme or to enzyme-substrate complex yielding an inactive ESI complex [35].While in NNPs

inhibition type was uncompetitive; a classical uncompetitive inhibitor is a compound that binds reversibly to the enzyme-substrate complex yielding an inactive ESI complex. The inhibitor does not bind to the free enzyme. [36]. The Km and V max of protease in presence of Gold and Nickel nanoparticles were presented in Table 2.

Table 2:Kinetic parameters of protease with GNPs and NNPs in sera of burn patients

Nano particles	Kmi (%)	V maxi (U/L)	Inhibition Type
Gold	0.312	238.095	non-competitive inhibition
Nickel	0.111	163.934	Uncompetitive inhibition

Thermodynamic parameters of the transitional state were calculated by using Arrhenius equation, which connects between speed constant K or reaction

maximum speed Vmax (in the biochemical reactions) and temperature inverse in Kelvin using the following equation:

$$\text{Log Vmax} = \log A - E_a / 2.303 R \times 1/T$$




Figure 7:Arrhenius Plot of protease in sera of burn patients

Table 3:Thermodynamic parameters of protease in sera of burns patients

(t) °C	T(K)	Ea(kJ/mol.)	ΔH [*] (kJ/mol.)	ΔG [*] (kJ/mol.)	ΔS [*] (J/mol.k)
20	293	0.0336664	-2.4023356	61.1371351	-216.858261
25	298	0.0336664	-2.4439056	62.22235339	-217.000869
30	303	0.0336664	-2.4854756	63.30826962	-217.141073
35	308	0.0336664	-2.5270456	64.39487171	-217.278952
40	313	0.0336664	-2.5686156	65.48214848	-217.414581

It is noticed from Table 3 that (ΔH^{*}) value is a negative, which indicates that the formation of enzyme complex (protease-casein) is exothermic reaction. The positive value of (ΔG^{*}) indicates that the reaction thermodynamically unfavorable . In other meaning the reaction needs energy to reach the transitional state.

The negative value of (ΔS^{*}) indicates that the active complex structure is more order than the reactant. ΔH^{*} and ΔS^{*} are both negative this mean that favorability of the reaction thermodynamic can depend on the temperature.

Conclusion

We conclude that nanoparticles such as gold and nickel can be used as treatment of burns through their role in body homeostasis due to their inhibition impact on protease activity .

References

- [1] Herndon D., "Chapter 4: Prevention of Burn Injuries". Total burn care, 4th ed., Edinburgh: Saunders. :46.
- [2] Shehan Hettiaratchy , and Peter Dziewulski,“ABC of burns: Introduction, 2004, 328(7452):1366-1368.
- [3] B. Atiyeh, A. Masellis, and C. Conte,,”Optimizing Burn Treatment in

Developing Low- and Middle-Income Countries with Limited Health Care Resources (Part 1)", *Ann Burns Fire Disasters*, 2009, 22(3):121–125.

[4] Peck MD., Kruger GE., van der Merwe AE., et al., "Burns and fires from non-electric domestic appliances in low and middle income countries Part I. The scope of the problem", *Burns*, 2008, 34:303.

[5] Arpan Mazumder, Amarjyoti Patowary, "Original Research Paper A Study of Pattern of Burn Injury Cases", *J. Indian Acad Forensic Med.*, 2013, 35(1):44.

[6] Nader Aghakhani, Hamid Sharif Nia, Mohammad Ali Soleimani, Nasim Bahrami, Narges Rahbar, Yadegar Fattahi, and Zahra Beheshti, "Prevalence burn injuries and risk factors in persons older the 15 years in Urmia burn center in Iran", *Caspian J. Intern Med.*, 2011, 2(2):240-244.

[7] National Library of Medicine, 2014, Burns: Interactive health tutorial, Retrieved December 4, 2014.

[8] Vaghela Prithvirajsinh C., Ahir Ghanshyam N., Patel Malay H., Epidemiology of Fatal Burn Cases in G.K.General Hospital, BHUJ", *National Journal of Community Medicine*, 3(2), 2012 :326.

[9] Jaffer Hussain, Asif Hanif, Humera Ameer Ali, and Tahira Ashraf, "A Case Control Study with the Statistical Predictive Modeling of Child Burn in Pakistan", *Journal of Statistics*, 2013, 20 :14.

[10] Alicia L., Culleton DNP., CNERN., Lynn M., Simko PhD, RN, CCRN, "Caring for patients with burn injuries, *Nursing* 2015", 2013, 43(8):26-34.

[11] New sholme E & Leech T "Functional Biochemistry in Health and Disease". Wiley-Blackwell Publishing .2010.p.398.

[12] János András Mótyán, Ferenc Tóth and József Tózsér, "Research Applications of Proteolytic Enzymes in Molecular Biology", *Biomolecules* 2013, 13:923.

[13] Lev Dykman, and Nikolai Khlebtsov, "Gold nanoparticles in biomedical applications: recent advances and perspectives", *Chem. Soc. Rev.*, 2012, 41:2256-2282.

[14] Saxena A., Kumar A., and Mozumdar S., "Ni-nanoparticles: An efficient green catalyst for chemo-selective oxidative coupling of thiols", *Journal of Molecular Catalysis A: Chemical*, 2007, 269: 35-40.

[15] Syukri Ban T., Ohya Y., and Takahashi Y., "A simple synthesis of metallic Ni and Ni-Co alloy fine powders from a mixed-metal acetate precursor", *Material Chemistry and Physic*, 2003, 78:645-649.

[16] Xu R., Xie T., Zhao Y., and Li Y., "Quasi-homogeneous catalytic hydrogenation over monodisperse nickel and cobalt nanoparticles", *Nanotechnology*, 2007, 18:55602-55602.

[17] Chang H., and Su H.T., "Synthesis of magnetic property of Ni nanoparticles", *Review on Advanced Materials Science*, 2008, 18:667-675.

[18] Piao Y., Kim J., Bin Na H., Kim D., Baek JS., et al., "Wrapbake-peel process for nanostructural transformation from beta-FeOO Hnanorods to biocompatible iron oxide nanocapsules", *Nat Mater.*, 2008, 7(3):242-247.

[19] Liu C., Wu XW., Klemmer T., Shukla N., Weller D., "Reduction of sintering during annealing of FePt nanoparticles coated with iron oxide", *Chem Mater*, 2005, 17(3):620-625.

[20] Park JI., Cheon J., "Synthesis of "solid solution" and "core-shell" type cobalt-platinum magnetic nanoparticles via transmetalation reactions", *J. Am. Chem. Soc.*, 2001, 123(24):5743-5746.

[21] Karl-Heinz Leitz, Benjamin Redlingshöfer, Yvonne Reg, Andreas Otto, and Michael Schmidt, "Metal Ablation with Short and Ultrashort Laser Pulses", *Physics Procedia*, 2011, 12:230-238.

[22] Ishaya I., and Swirski E., "Trehalase invertase and amylase activities in the larvae of Egyptian cotton worm", *Spodopteralittoralis (L)*, *J. Insect Physiol.*, 1971, 17:945-953.

[23] Vitthalrao K., and Sucheta DS., "Protein contents and activity of enzymes in the mod gut homogenate of fifth instar larvae of silkworm, *Bombyxmori (L)* (Race: PM x CSR2) fed with herbal drug (Kho-go) treated mulberry leaves".

Research Journal of Recent Sciences, 2012, 1(2):49-55.

[24] Indranil Chanda, Sanat Kumar Basu, Sadhan Kumar Dutta, Smriti Rekha, and Chanda Das, "Thermodynamic, Kinetic and Stability Aspects of A Purified Protease from y he Latex of Plumeria Rubra Linn", Asian Journal of Pharmaceutical and Clinical Research, Asian J. Pharm Clin. Res., 2013, 6(1) :149-151.

[25] Kreibig U., Vollmer M., "Optical Properties of Metal Clusters", Ch. 4, Springer Series in Materials Science, Springer-Verlag, Berlin, Germany, 1995, 25 :312.

[26] Mafune F., Kohno J., Takeda Y., Kondow T., "Full Physical Preparation of Size-Selected Gold Nanoparticles in Solution: Laser Ablation and Laser-Induced Size Control", J. Phys. Chem. B., 2002, 106:7575-7578.

[27] M. Hemalatha, N. Suryanarayanan, "Studies ON Synthesis, Structure and Optical Properties of Nickel Nanoparticles", Journal of Ovonic Research., 2012, 8(2) :47-51.

[28] Fadhil F.A., "Fabrication of Bi₂O₃ NPs/Si hetero junction photo detector using laser ablation in water", M.Sc. Thesis, Department of Applied Science, University of Technology, 2012.

[29] Musaev O.R., Midgley A.E., Wrobel J.M., Kruger M.B., "Laser Ablation of Alumina in Water", Chemical Physics Letters, 2010, 487:81-83.

[30] Mittl and Grutter, protease pdf, 2006, COSB 16, 769.

[31] Shin YS., Kim HW., Kim CD., Kim HW., Park JW., Jung S., Lee JH., Ko YK., Lee YH., "Protease-Activated Receptor-2 Is Associated with Terminal Differentiation of Epidermis and Eccrine Sweat Glands", Ann Dermatol., 2015, 27(4):364-70.

[32] Tiffany L., John E., "A High Throughput PON Assay for Discovery of Small Molecule Modulators of PON1 Activity", Curr. Chem. Genomics., 2008, 2 :51-61.

[33] David Y., Richard S., Richard E., David E., et.al., "Direct Detection of Stereos Pecificsoman Hydrolysis by Wild-Type Human Serum PON", FEBSJ., 2007, 274(5) :1183-1191.

[34] Michael A., Scott B., Robert S., et.al., "PON Active Site Required for Protection against LDL Oxidation Involves its Free Sulfhydryl Group", Arter. Thromb. Vase. Bil., 1998, 18 :1617-1624.

[35] Thomas M. Devlin, "Text Book of Biochemistry with Clinical Correlations", 2nd edition, John Wiley and Sons, New York, 1986:129.

[36] Irwin H. Segel, "Biochemical Calculations", Library of Congress Cataloging in publication Data, 1976:257.